Licensed exclusively to SABS. Copying and network storage prohibited.

ISBN 978-0-626-27629-4

SANS 61438:1996

Edition 1 and nat, amdt 1

IEC 61438:1996

Any reference to SABS IEC 61438 is deemed to be a reference to this standard (Government Notice No. 1373 of 8 November 2002)

SOUTH AFRICAN NATIONAL STANDARD

Possible safety and health hazards in the use of alkaline secondary cells and batteries — Guide to equipment manufacturers and users

> This national standard is the identical implementation of IEC 61438:1996, and is adopted with the permission of the International Electrotechnical Commission.



Licensed exclusively to SABS. Copying and network storage prohibited.

SANS 61438:1996

Edition 1 and nat. amdt 1

IEC 61438:1996

Edition 1

Table of changes

Change No.	Date	Scope
Nat. amdt 1	2007	Amended to change the designation from SABS to SANS, with no technical changes.

National foreword

This South African standard was approved by National Committee SABS TC 63, *Batteries*, in accordance with procedures of the SABS Standards Division, in compliance with annex 3 of the WTO/TBT agreement.

This SANS document was published in September 2007.

This SANS document supersedes SABS IEC 61438:1996 (first edition).

Reaffirmed and reprinted in August 2012. This document will be reviewed every five years and be reaffirmed, amended, revised or withdrawn.

Licensed exclusively to SABS.

RAPPORT TECHNIQUE – TYPE 2 **TECHNICAL** REPORT - TYPE 2

Première édition First edition 1996-12

CEI

IEC

1438

Risques potentiels pour la santé et la sécurité liés à l'emploi des accumulateurs alcalins -

Guide à l'usage des fabricants d'équipements et des utilisateurs

Possible safety and health hazards in the use of alkaline secondary cells and batteries -

Guide to equipment manufacturers and users

© CEI 1996 Droits de reproduction réservés — Copyright - all rights reserved

Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'éditeur.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher

Bureau central de la Commission Electrotechnique Internationale 3, rue de Varembé Genève, Suisse



Commission Electrotechnique Internationale CODE PRIX International Electrotechnical Commission PRICE CODE Международная Электротехническая Комиссия



1438 © IEC:1996

- 3 -

CONTENTS

		Page
FΟ	REWORD	5
INT	RODUCTION	9
Clau		
1	Scope	11
2	Normative references	11
3	Definitions	13
4	General safety advice	13
5	Explosion hazards	13
6	Pressure rupture	19
7	Chemical burns (electrolyte)	23
8	High power level hazard	25
9	High voltage levels (shock)	27
10	Thermal runaway	27
11	Disposal	29
12	Other recommendations	31

1438 © IEC:1996 - 5 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

POSSIBLE SAFETY AND HEALTH HAZARDS IN THE USE OF ALKALINE SECONDARY CELLS AND BATTERIES –

GUIDE TO EQUIPMENT MANUFACTURERS AND USERS

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical report of one of the following types:

- type 1, when the required support cannot be obtained for the publication of an International Standard, despite repeated efforts;
- type 2, when the subject is still under technical development or where for any other reason there is the future but not immediate possibility of an agreement on an International Standard;
- type 3, when a technical committee has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

Technical reports of types 1 and 2 are subject to review within three years of publication to decide whether they can be transformed into International Standards. Technical reports of type 3 do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful.