

ISBN 978-0-626-30543-7

SANS 3233:1998

Edition 1, ISO tech corr. 1 and nat. amdt 1

ISO 3233:1998

Edition 3 and tech corr.1

Any reference to SABS ISO 3233 is deemed
to be a reference to this standard
(Government Notice No. 1373 of 8 November 2002)

SOUTH AFRICAN NATIONAL STANDARD

Paints and varnishes — Determination of percentage volume of non-volatile matter by measuring the density of a dried coating

This national standard is the identical implementation of ISO 3233:1998 and technical corrigendum 1, and is adopted with the permission of the International Organization for Standardization.

SANS 3233:1998

Edition 1, ISO tech corr. 1 and nat. amdt 1

ISO 3233:1998

Edition 3 and tech corr. 1

Table of changes

Change No.	Date	Scope
Tech corr. 1	1999	Changed to correct the first equation under 8.1.
Nat. amdt 1	2007	Amended to change the designation from SABS to SANS, with no technical changes.

National foreword

This South African standard was approved by National Committee SABS/TC 035/SC 09, *Paints and varnishes – Test methods*, in accordance with procedures of SABS Standards Division, in compliance with annex 3 of the WTO/TBT agreement.

This document was published in July 2007. This SANS document supersedes SABS ISO 3233:1998 (edition 1 as modified by ISO tech corr. 1:1999).

**Reaffirmed and reprinted in March 2014.
This document will be reviewed every five years
and be reaffirmed, amended, revised or withdrawn.**



Paints and varnishes — Determination of percentage volume of non-volatile matter by measuring the density of a dried coating

TECHNICAL CORRIGENDUM 1

Peintures et vernis — Détermination du pourcentage en volume de matières non volatiles par mesurage de la masse volumique d'un revêtement sec

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to International Standard ISO 3233:1998 was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, Subcommittee SC 9, *General test methods for paints and varnishes*.

Page 6

Subclause 8.1

Correct the first equation to read

$$\rho_0 = \frac{m_4 - m_1}{m_2 + m_4 - m_1 - m_5} \times \rho_1$$

in which the top line of the equation has been corrected from $m_3 - m_1$ to $m_4 - m_1$.

This page is intentionally left blank

INTERNATIONAL STANDARD

ISO 3233

Third edition
1998-08-15

Paints and varnishes — Determination of percentage volume of non-volatile matter by measuring the density of a dried coating

*Peintures et vernis — Détermination du pourcentage en volume de
matières non volatiles par mesurage de la masse volumique d'un
revêtement sec*



Reference number
ISO 3233:1998(E)