

ISBN 978-0-626-34443-6

SANS 60079-15:2010

Edition 4

IEC 60079-15:2010

Edition 4

SOUTH AFRICAN NATIONAL STANDARD

Explosive atmospheres

Part 15: Equipment protection by type of protection "n"

This national standard is the identical implementation of IEC 60079-15:2010, and is adopted with the permission of the International Electrotechnical Commission.

**WARNING — Can only be used
in conjunction with
SANS 60079-0.**

Published by SABS Standards Division
1 Dr Lategan Road Groenkloof ☒ Private Bag X191 Pretoria 0001
Tel: +27 12 428 7911 Fax: +27 12 344 1568

www.sabs.co.za

© SABS

SABS

SANS 60079-15:2010

Edition 4

IEC 60079-15:2010

Edition 4

Table of changes

Change No.	Date	Scope

National foreword

This South African standard was approved by National Committee SABS/TC 065, *Explosion prevention*, in accordance with procedures of the SABS Standards Division, in compliance with annex 3 of the WTO/TBT agreement.

This SANS document was published in July 2010.

This SANS document supersedes SANS 60079-15:2006 (edition 3).

Load certification requirements may differ from IEC certification requirements. Refer to local certification requirements.

Compliance with this document cannot confer immunity from legal obligations.

**Reaffirmed and reprinted in March 2017.
This document will be reviewed every five years
and be reaffirmed, amended, revised or withdrawn.**



IEC 60079-15

Edition 4.0 2010-01

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Explosive atmospheres –
Part 15: Equipment protection by type of protection "n"**

**Atmosphères explosives –
Partie 15: Protection du matériel par mode de protection « n »**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XB**
CODE PRIX

ICS 29.260.20

ISBN 2-8318-1075-5

CONTENTS

FOREWORD.....	8
1 Scope.....	10
2 Normative references	14
3 Terms and definitions	15
4 General	17
4.1 Equipment grouping and temperature classification	17
4.2 Potential ignition sources	17
5 Temperatures	17
5.1 Maximum surface temperature	17
5.2 Small components	18
6 Requirements for electrical equipment.....	18
6.1 General	18
6.2 Opening times	18
6.3 Minimum degree of protection	18
6.3.1 General	18
6.3.2 Degree of protection provided by installation	18
6.4 Clearances, creepage distances and separations	18
6.4.1 General	18
6.4.2 Determination of working voltage.....	19
6.4.3 Conformal coating	19
6.4.4 Comparative tracking index (CTI)	19
6.4.5 Measurement of creepage and clearance	19
6.4.6 Compound filled cable sealing boxes.....	21
6.5 Electric strength	26
6.5.1 Insulation from earth or frame.....	26
6.5.2 Insulation between conductive parts	26
7 Connection facilities and terminal compartments	27
7.1 General	27
7.2 Field wiring connections	27
7.2.1 General	27
7.2.2 Connections made using terminals complying with IEC 60947-7-1, IEC 60947-7-2, IEC 60999-1, or IEC 60999-2	28
7.2.3 Field wiring connection facilities integral to “n” equipment or components.....	28
7.2.4 Connections designed to be used with cable lugs and similar devices	28
7.2.5 Connections using permanent arrangements	28
7.3 Factory connections	28
7.3.1 General	28
7.3.2 Field wiring connection methods used for factory connections	28
7.3.3 Other factory connections.....	28
7.3.4 Permanent connections	28
7.3.5 Pluggable connections.....	29
7.3.6 Terminal bridging connections	29
8 Supplementary requirements for non-sparking electrical machines	29
8.1 General	29
8.2 Machine enclosure	30

8.3	Terminal boxes.....	30
8.4	Conduit stopping boxes, cable sealing and dividing boxes.....	30
8.5	Connection facilities for external conductors.....	30
8.6	Neutral point connections.....	30
8.7	Radial air gap.....	31
8.8	Rotor cages.....	31
8.8.1	Rotor cages built from bars connected to end rings.....	31
8.8.2	Cast rotor cages.....	31
8.8.3	Assessment for possible air gap sparking.....	31
8.9	Stator winding insulation system.....	32
8.10	Surface temperature limitation.....	33
8.10.1	Prevention of thermal ignition.....	33
8.10.2	Operation with a frequency convertor or a non-sinusoidal supply.....	33
9	Supplementary requirements for non-sparking fuses and fuse assemblies.....	34
9.1	Fuses.....	34
9.2	Temperature class of equipment.....	34
9.3	Fuse mounting.....	34
9.4	Fuse enclosures.....	34
9.5	Replacement fuse identification.....	34
10	Supplementary requirements for non-sparking plugs and sockets.....	34
10.1	Plugs and sockets for external connections.....	34
10.2	Maintaining degree of protection (IP code).....	35
10.3	Sockets that do not have plugs inserted in normal operation.....	35
11	Supplementary requirements for non-sparking luminaires.....	35
11.1	General.....	35
11.2	Construction.....	35
11.2.1	General.....	35
11.2.2	Enclosure of lamp.....	36
11.2.3	Lampholders.....	36
11.2.4	Auxiliaries.....	37
11.2.5	Creepage distances and clearances.....	38
11.2.6	Terminals.....	39
11.2.7	Internal wiring.....	39
11.3	Luminaires for tubular fluorescent bi-pin lamps.....	39
11.3.1	General.....	39
11.3.2	Maximum ambient temperature.....	39
11.3.3	Temperature class.....	39
11.3.4	Endurance tests and thermal tests.....	40
11.3.5	Resistance to dust and moisture.....	41
11.3.6	Insulation resistance and electric strength.....	41
11.4	Other equipment containing light sources.....	41
12	Supplementary requirements for equipment incorporating non-sparking cells and batteries.....	41
12.1	General.....	41
12.2	Categorization of cells and batteries.....	41
12.2.1	Type 1 cells and batteries.....	41
12.2.2	Type 2 cells and batteries.....	42
12.2.3	Type 3 cells and batteries.....	42